

Modular Cooking Range Line 900XP 400 mm Open Base 1/2 Module

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		



391153 (E9BAND0000)

Open Base Cupboard, 1/2 module

Short Form Specification

Item No.

To be installed below other 900XP top units in island type installations with operations from one side. Open base to store pots, pans, sheet pans etc. Body and internal structure of unit entirely in stainless steel. Delivered with 150 mm height adjustable feet.

Main Features

- Unit can be easily installed below other 900 line top models.
- Unit delivered with 50 mm height adjustable feet in Stainless steel.
- Open base compartment for storage of pots, pans, sheet pans, etc.
- Doors with handles, drawers, heating kits and runners for GN containers can be ordered separately.

Construction

- Constructed in Stainless steel with Scotch Brite finish to meet the highest hygiene standards.
- Unit is 930 mm deep to give a larger working surface area.

APPROVAL:






Modular Cooking Range Line 900XP 400 mm Open Base 1/2 Module

	Ondian of A			• 2 side covering panels for free	PNC 216134	
	Optional Accessories	DVIC 00/175		standing appliances		_
•	 Kit 4 wheels - 2 swivelling with brake - it is mandatory to install Base support and wheels 	PNC 206135				
	Flanged feet kit	PNC 206136				
	2 supports runners for open base cupboard 400mm for GN1/1	PNC 206145	ū			
•	• Frontal kicking strip for concrete installation, 400mm	PNC 206147				
•	 Frontal kicking strip for concrete installation, 800mm 	PNC 206148				
•	 Frontal kicking strip for concrete installation, 1000mm 	PNC 206150				
•	 Frontal kicking strip for concrete installation, 1200mm 	PNC 206151				
•	 Frontal kicking strip for concrete installation, 1600mm 	PNC 206152				
•	• Frontal kicking strip, 400mm (not for refr-freezer base)	PNC 206175				
•	• Frontal kicking strip, 800mm (not for refr-freezer base)	PNC 206176				
•	 Frontal kicking strip, 1000mm (not for refr-freezer base) 	PNC 206177				
•	 Frontal kicking strip, 1200mm (not for refr-freezer base) 	PNC 206178				
•	 Frontal kicking strip, 1600mm (not for refr-freezer base) 	PNC 206179				
•	 Pair of side kicking strips (not for refr-freezer base) 	PNC 206180				
•	 2 panels for service duct for single installation 	PNC 206181				
•	 2 panels for service duct for back to back installation 	PNC 206202				
•	• Kit 4 feet for concrete installation (not for 900 line free standing grill)	PNC 206210				
	• Electric heating kit for cupboards	PNC 206259				
	 2 drawers for open base cupboards, 100mm height 	PNC 206334				
	Door for open base cupboard	PNC 206350				
	2 DRAWERS (H=100MM) BASE 900 LINE-ZAN					
	Base support for feet or wheels - 400mm (700/900)		_			
	Base support for feet or wheels - 800mm (700/900)					
	Base support for feet or wheels - 1200mm (700/900)	PNC 206368				
	Base support for feet or wheels - 1600mm (700/900)		_			
	Base support for feet or wheels - 2000mm (700/900)					
	Rear paneling - 600mm (700/900XP)					
	Rear paneling - 800mm (700/900)	PNC 206374				
	• Rear paneling - 1000mm (700/900)	PNC 206375				
	• Rear paneling - 1200mm (700/900)	PNC 206376				
•	 Base support for feet/wheels (600mm) 	PNC 206431				
	(OOOIIIII)			Modular Co	okina Panae Line	

Modular Cooking Range Line 900XP 400 mm Open Base 1/2 Module



Modular Cooking Range Line 900XP 400 mm Open Base 1/2 Module



Key Information:

External dimensions, Width:

391153 (E9BAND00OO) 400 mm External dimensions, Depth: 785 mm External dimensions, Height: 600 mm Net weight: 22 kg

> Modular Cooking Range Line 900XP 400 mm Open Base 1/2 Module